



ELECTRIC TUBE CLEANERS

1/4" & UP
I.D.

FLEXIBLE SHAFT
CAN BE STORED
ON HANDLE

QUICK CONNECT
OF SHAFT TO
CLEANER

WATER IN-FLOW
THROUGH STANDARD
HOSE CONNECTOR

LARGE WHEELS
FOR EASY
TRANSPORTATION

STAINLESS STEEL
BODY FOR USE IN
HARSHEST
ENVIRONMENTS



POWER
INDICATOR
LIGHT

TOOL AND FOOT
SWITCH STORAGE
COMPARTMENT

FORWARD DIRECTION
FOOT SWITCH

Features :

- Water flushes through the shaft and helps remove deposits from tube.
- Forward direction foot switch enables operator to concentrate on cleaning operation without worrying about cleaner.
- Flexible shaft can be easily disconnected.
- Stainless steel body for use in the harshest environments.
- Easy interchangeability of various shafts and accessories for maximum versatility.
- Large wheels for easy transportation.
- Water consumption can be regulated as needed.

Electric Tube Cleaners are environment friendly, compact and easily maneuverable units used to clean straight and curved tubes in heat exchangers, condensers, boilers and other tubular apparatus. They work by attaching a cleaning tool (to be determined on type of deposit to be cleaned) to a flexible shaft. The Electric Tube Cleaner provides rotary motion to the flexible shaft which rotates the cleaning tool inside the tube. If needed water passes through the flexible shaft to aid in flushing out of the deposits. All Electric Tube Cleaners are supplied with forward direction foot switch. Dual direction foot switches are available on request.

Tube I.D. mm	inch	Tube Cleaner Model No.	Motor Power		Motor Speed RPM	Weight		High	Dimension	
			HP	kW		lbs.	Kg.		Wide	Deep
6.4-25.4	1/4-1	TTC-40	1/2	0.40	890	62	28	38"(975mm)	21"(535mm)	18"(457mm)
6.4-25.4	1/4-1	TTC-60	3/4	0.60	890	66	30	38"(975mm)	21"(535mm)	18"(457mm)
25.4 & UP	1 & UP	TTC-75	1	0.75	1780	70	32	38"(975mm)	21"(535mm)	18"(457mm)
25.4 & UP	1 & UP	TTC-150	2	1.50	1780	84	38	40"(1015mm)	22"(560mm)	19"(482mm)

All units available in your choice of :
110v 60Hz, 110v 50Hz - 9 Amps.
220v 60Hz, 220v 50Hz - 4.5 Amps.
Please Specify when ordering.